

KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS REFORE OPENING OR USING

**ACTIVE CONSTITUENT: 525 g/L NONANOIC ACID** 

FOR NON-SELECTIVE CONTROL OF SEEDLING AND YOUNG BROADLEAF AND GRASS WEEDS. FOR SUPPRESSION OF ESTABLISHED WEEDS AND PERENNIAL SPECIES AND FOR CONTROL OF MOSS AND ALGAE AS PER THE DIRECTIONS FOR USE

- ✓ VERSATILE WEED, MOSS AND ALGAE KILLER
- ✓ VISIBLE RESULTS WITHIN HOURS AFTER SPRAYING.
- ✓ REGISTERED FOR USE IN ORGANIC FARMING SYSTEMS ✓ ACTIVE MADE FROM NATURAL PLANT OILS

# CONTENTS

# ORGANIC CROP PROTECTANTS PTY LTD

61 Turrella St. Turrella NSW 2205 Australia Telephone: 1800 634 204 www och com all ACN 003 149 719

- ✓ GLYPHOSATE FREE
- ✓ NO LASTING RESIDUES

Organic Registered Farm Input ALLOWED INPUT 222 \*R \*Restricted Farm Input

## GENERAL INSTRUCTIONS:

Slasher Weedkiller is a natural contact weedkiller containing point. If not recycling, break, crush or pelargonic acid (nonanoic acid). Pelargonic acid occurs puncture and deliver empty packaging to naturally in plants including geraniums. It acts on the foliage. an approved waste management facility. If an causing it to quickly dehydrate and collapse. Results are seen as browning and wilting usually within hours of application. To be effective, Slasher Weedkiller must come into contact with the surface in a disposal pit specifically marked and the green parts of the plant. Slasher Weedkiller will control set up for this purpose clear of waterways, desirable many weed species and is non-selective.

Half fill spray tank and commence agitation, Slowly add required amount of Slasher Weedkiller. Top up with required quantity of water. Agitate well before commencing spray procedure. Do not mix more than is needed.

APPLICATION: Ensure that all weed foliage is totally covered with spray as Slasher Weedkiller is a contact spray only. Partial coverage will give only partial control.

Apply by ground equipment only using for example boom or spot sprayers. Apply using a coarse droplet spray. Optimum application volumes are related to weed maturity and density. Contact with the weeds is essential for control, as such apply in sufficient water to ensure complete and thorough coverage of foliage.

DO NOT spray porous surfaces without prior testing. May cause discolouration on norous hard surfaces.

PRECAUTIONS: Wear eve protection when mixing or using. RE-ENTRY PERIOD: Do not enter treated areas until the product has dried.

DO NOT apply under weather conditions, or from spraying equipment, that may cause spray to drift onto nearby susceptible plants/crops, cropping lands or pastures.

PROTECTION OF WILDLIFF, FISH, CRUSTACEANS AND DO NOT contaminate wetlands or watercourses with this product or used containers. Not compatible with integrated pest management (PM) programs utilising beneficial arthropods. Minimise spray drift to reduce harmful effects on beneficial arthropods in non-crop areas.

Store in the closed, original container in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight. Triple or (preferably) pressure rinse containers before disposal. Add rinsings to the spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection

vegetation and tree roots in compliance with relevant Local. State or Territory government regulations. Do not hum empty containers or product.

SAFETY DIRECTIONS: Will irritate the eyes and skin. Repeated exposure may cause allergic disorders. Avoid contact with the eyes and skin. When preparing spray wear elbow-length chemical resistant gloves and goggles. When using the prepared spray wear face shield or goggles. If product on skin, immediate ly wash area with soap and water. If product or spray in eyes. wash it out immediately with water. Wash hands after use. After each day's use wash gloves, face shield or googles, and contaminated clothing

FIRST AID: If poisoning occurs, contact a doctor or Poisons Information Centre, Phone Australia 131126, If swallowed, do NOT induce vomiting. Give a glass of water. If skin contact occurs, remove contaminated clothing and wash skin thoroughly. If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor

SDS: Additional information is listed in the Safety Data Sheet available from the supplier.

LIABILITY: This product must only be used as directed. OCP will not be liable for any loss or damage due to a failure to strictly follow label directions.

Registered Trademark of OCP Ptv Ltd APVMA Approval No.



# DIRECTIONS FOR USE

## RESTRAINTS:

- DO NOT spray if weeds are wet.
- DO NOT apply if rainfall is expected before spray deposits dry on plant surfaces.
- DO NOT water treated area for 24 hours to achieve maximum results.
- DO NOT apply if heavy rains or storms that are likely to cause runoff from soil are forecast within 3 days of application.
- DO NOT irrigate to the point of runoff from soil for at least 3 days after application.
- DO NOT allow spray to contact or drift onto plants you do not want killed

| Do Not allow oping to contact of a fit onto plants you do not want tailou. |   |   |  |   |
|--|---|---|--|---|
|  | SITUATION   | WEEDS   | RATE   | CRITICAL COMMENTS   |
|  | Paths, Driveways, around Sheds<br>Gardens, Amenity horticulture areas,<br>Protected cropping situations.<br>Around Nursery stock.<br>Spot Spraying in Lawns and Turf. | Seedling and young annual and prennial weeds and grasses including fat hen, potato weed, stinking roger, couch grass, chickweed, lambs tongue, common storksbill, clover. More advanced or established weeds may only be suppressed and require repeated application. | 70 mL per<br>litre of water  | Spray to completely cover weed surface. Reapplication at around 7 day may be necessary if regrowth occurs. This product may damage lawn and turf when used as a spot spray. Perennial weed species may require repeated applications to obtain long term control. To control weeds in Protected cropping situations apply on each side of the crop row taking care not to allow spray to contact any of the crop foliage.   |
|  | Orchards and vineyards Fallow soil  |   | Mix 7 litres<br>per 100 litres<br>water.<br>Apply 900-<br>1400 L<br>spray per ha | Apply as a band spray 400 mm wide on each side of the orchard or vin<br>crop row. Apply at early vegetative stage of weeds. Best results are<br>obtained at 4-8 leaf stage when weed canopy is less than 15 cm in<br>height. Established weeds may require more than one application.<br>Repeat spray after 7 days if required. Spray overall weed foliage to<br>ensure full foliage penetration and coverage. Partial foliage penetration<br>or coverage will result in partial control. |
|  | Gardens, Paths, Rockeries, Tiled Roofs,<br>Walls, Driveways, around Buildings,<br>Spot Spraying in Lawns and Turf   | Algae, Lichen,<br>Liverwort, Moss   | 70 mL per<br>litre of water  | Spray to completely cover plant surface. For driveways or heavy infestations, clean off by brushing after 3 days and reapply if necessary.  |

NOT TO BE USED FOR ANY PURPOSE. OR IN ANY MANNER. CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION. WITHHOLDING PERIOD (WHP): NOT REQUIRED WHEN USED AS DIRECTED.

management facility. If an approved waste management clothing facility is not available bury the empty packaging 500mm containers or product.

STORAGE AND DISPOSAL: Store in the closed, original SAFETY DIRECTIONS: Will irritate the eyes and skin. Repeated container in a cool, well-ventilated area. Do not store for exposure may cause allergic disorders. Avoid contact with the prolonged periods in direct sunlight. Triple or (preferably)
eyes and skin. When preparing spray wear elbow-length chemical
pressure rinse containers before disposal. Add rinsings to the
resistant gloves and goggles. When using the prepared spray wear spray tank. Do not dispose of undiluted chemicals on site. If face shield or googles, if product on skin, immediately wash area recycling, replace cap and return clean containers to recycler with soap and water. If product or spray in eyes, wash it out or designated collection point. If not recycling, break, crush or immediately with water. Wash hands after use. After each day's puncture and deliver empty packaging to an approved waste use wash gloves, face shield or goggles, and contaminated

FIRST AID: If poisoning occurs, contact a doctor or Poisons, below the surface in a disposal pit specifically marked and set Information Centre. Phone Australia 131126. If swallowed, do NOT, up for this purpose clear of waterways, desirable vegetation induce vomiting. Give a glass of water, if skin contact occurs, and tree roots in compliance with relevant Local, State or remove contaminated clothing and wash skin thoroughly. If in Territory government regulations. Do not burn empty eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.